


## ANALYTICAL REPORT

Eurofins TestAmerica, Buffalo  
10 Hazelwood Drive  
Amherst, NY 14228-2298  
Tel: (716)691-2600

Laboratory Job ID: 480-187221-1  
Client Project/Site: TCLP

For:  
Montague WPCF  
34 Greenfield Road  
Montague, Massachusetts 01351

Attn: Chelsey Little



Authorized for release by:  
7/27/2021 10:38:41 AM

Becky Mason, Project Manager II  
(413)572-4000  
[Becky.Mason@Eurofinset.com](mailto:Becky.Mason@Eurofinset.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:  
[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Client Sample Results . . . . .	5
Lab Chronicle . . . . .	7
Certification Summary . . . . .	8
Method Summary . . . . .	9
Sample Summary . . . . .	10
Receipt Checklists . . . . .	11
Chain of Custody . . . . .	12

# Definitions/Glossary

Client: Montague WPCF  
Project/Site: TCLP

Job ID: 480-187221-1

## Qualifiers

### GC Semi VOA

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1-	Surrogate recovery exceeds control limits, low biased.

### Metals

Qualifier	Qualifier Description
^6+	Interference Check Standard (ICSA and/or IC SAB) is outside acceptance limits, high biased.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Montague WPCF  
Project/Site: TCLP

Job ID: 480-187221-1

---

## Job ID: 480-187221-1

---

Laboratory: Eurofins TestAmerica, Buffalo

### Narrative

#### Job Narrative 480-187221-1

#### Receipt

The sample was received on 7/15/2021 8:00 AM. Unless otherwise noted below, the sample arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.2° C.

#### GC/MS VOA

Method 8260C: The following samples were diluted due to the TCLP solid nature of the sample matrix: TCLP0713 (480-187221-1) and (LB 480-589535/1-A). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### GC/MS Semi VOA

Method 8270D: The following sample was diluted due to color, appearance, and viscosity: TCLP0713 (480-187221-1). Elevated reporting limits (RL) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### GC Semi VOA

Method 8082A: Surrogate recovery for the following sample was outside control limits: TCLP0713 (480-187221-1). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed. The secondary surrogate is within limits.

Method 8151A: The continuing calibration verification (CCV) associated with batch 480-589894 recovered above the upper control limit for Silvex (2,4,5-TP) and 2,4-D. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated sample is impacted: TCLP0713 (480-187221-1).

Method 8151A: Surrogate recovery for the following samples were outside control limits: TCLP0713 (480-187221-1) and (LB 480-589534/1-D). This is routine for TCLP herbicides, due to the pH effects created during the leaching process, inhibiting the herbicide derivatization of the free acid components.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### Metals

Method 6010C: The interference check standard solution (ICSA) associated with the following samples showed results for Barium at a level greater than 2 times the limit of detection (LOD). It is believed that the solution contains trace impurities of this element / these elements and the results are not due to matrix interference. These results are consistent with those found by the manufacturer of the ICSA solution. TCLP0713 (480-187221-1), (LB 480-589534/1-B), (LCS 480-589705/3-A) and (MB 480-589705/2-A)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### Organic Prep

Method 3510C: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with preparation batch 480-589534 and 480-589708.

Method 3510C: Due to the matrix, the initial volume(s) used for the following sample deviated from the standard procedure: TCLP0713 (480-187221-1). The reporting limits (RLs) have been adjusted proportionately.

Method 8151A: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with preparation batch 480-589534 and 480-589711.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

# Client Sample Results

Client: Montague WPCF  
Project/Site: TCLP

Job ID: 480-187221-1

**Client Sample ID: TCLP0713**

**Lab Sample ID: 480-187221-1**

Date Collected: 07/13/21 07:50

Matrix: Solid

Date Received: 07/15/21 08:00

### Method: 8260C - Volatile Organic Compounds by GC/MS - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.010	0.0041	mg/L			07/20/21 17:50	10
Carbon tetrachloride	ND		0.010	0.0027	mg/L			07/20/21 17:50	10
Chlorobenzene	ND		0.010	0.0075	mg/L			07/20/21 17:50	10
Chloroform	ND		0.010	0.0034	mg/L			07/20/21 17:50	10
1,2-Dichloroethane	ND		0.010	0.0021	mg/L			07/20/21 17:50	10
1,1-Dichloroethene	ND		0.010	0.0029	mg/L			07/20/21 17:50	10
<b>2-Butanone (MEK)</b>	<b>0.90</b>		0.050	0.013	mg/L			07/20/21 17:50	10
Tetrachloroethene	ND		0.010	0.0036	mg/L			07/20/21 17:50	10
Trichloroethene	ND		0.010	0.0046	mg/L			07/20/21 17:50	10
Vinyl chloride	ND		0.010	0.0090	mg/L			07/20/21 17:50	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		77 - 120					07/20/21 17:50	10
Toluene-d8 (Surr)	103		80 - 120					07/20/21 17:50	10
4-Bromofluorobenzene (Surr)	114		73 - 120					07/20/21 17:50	10
Dibromofluoromethane (Surr)	110		75 - 123					07/20/21 17:50	10

### Method: 8270D - Semivolatile Organic Compounds (GC/MS) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	ND		0.50	0.023	mg/L		07/20/21 15:01	07/21/21 20:09	5
2,4-Dinitrotoluene	ND		0.25	0.021	mg/L		07/20/21 15:01	07/21/21 20:09	5
Hexachlorobenzene	ND		0.25	0.025	mg/L		07/20/21 15:01	07/21/21 20:09	5
Hexachlorobutadiene	ND		0.25	0.034	mg/L		07/20/21 15:01	07/21/21 20:09	5
Hexachloroethane	ND		0.25	0.029	mg/L		07/20/21 15:01	07/21/21 20:09	5
<b>3-Methylphenol</b>	<b>0.90</b>		0.50	0.020	mg/L		07/20/21 15:01	07/21/21 20:09	5
2-Methylphenol	ND		0.25	0.020	mg/L		07/20/21 15:01	07/21/21 20:09	5
<b>4-Methylphenol</b>	<b>0.90</b>		0.50	0.018	mg/L		07/20/21 15:01	07/21/21 20:09	5
Nitrobenzene	ND		0.25	0.014	mg/L		07/20/21 15:01	07/21/21 20:09	5
Pentachlorophenol	ND		0.50	0.11	mg/L		07/20/21 15:01	07/21/21 20:09	5
Pyridine	ND		1.3	0.020	mg/L		07/20/21 15:01	07/21/21 20:09	5
2,4,5-Trichlorophenol	ND		0.25	0.024	mg/L		07/20/21 15:01	07/21/21 20:09	5
2,4,6-Trichlorophenol	ND		0.25	0.030	mg/L		07/20/21 15:01	07/21/21 20:09	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol	78		41 - 120				07/20/21 15:01	07/21/21 20:09	5
2-Fluorobiphenyl	78		48 - 120				07/20/21 15:01	07/21/21 20:09	5
2-Fluorophenol	37		35 - 120				07/20/21 15:01	07/21/21 20:09	5
Nitrobenzene-d5	73		46 - 120				07/20/21 15:01	07/21/21 20:09	5
p-Terphenyl-d14	93		60 - 148				07/20/21 15:01	07/21/21 20:09	5
Phenol-d5	30		22 - 120				07/20/21 15:01	07/21/21 20:09	5

### Method: 8081B - Organochlorine Pesticides (GC) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>gamma-BHC (Lindane)</b>	<b>0.000085</b>	<b>J B</b>	0.00020	0.000060	mg/L		07/20/21 11:06	07/21/21 11:28	1
Chlordane (technical)	ND		0.0020	0.000029	mg/L		07/20/21 11:06	07/21/21 11:28	1
Endrin	ND		0.00020	0.000014	mg/L		07/20/21 11:06	07/21/21 11:28	1
Heptachlor	ND		0.00020	0.000085	mg/L		07/20/21 11:06	07/21/21 11:28	1
Heptachlor epoxide	ND		0.00020	0.000053	mg/L		07/20/21 11:06	07/21/21 11:28	1
Methoxychlor	ND		0.00020	0.000014	mg/L		07/20/21 11:06	07/21/21 11:28	1
Toxaphene	ND		0.0020	0.00012	mg/L		07/20/21 11:06	07/21/21 11:28	1

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: Montague WPCF  
Project/Site: TCLP

Job ID: 480-187221-1

**Client Sample ID: TCLP0713**

**Lab Sample ID: 480-187221-1**

Date Collected: 07/13/21 07:50

Matrix: Solid

Date Received: 07/15/21 08:00

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	44		20 - 120	07/20/21 11:06	07/21/21 11:28	1
Tetrachloro-m-xylene	77		44 - 120	07/20/21 11:06	07/21/21 11:28	1

**Method: 8151 - TCLP Herbicides - TCLP**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Silvex (2,4,5-TP)	ND		0.0020	0.00036	mg/L		07/20/21 11:14	07/21/21 15:51	1
2,4-D	ND		0.0020	0.00040	mg/L		07/20/21 11:14	07/21/21 15:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4-Dichlorophenylacetic acid	38	S1-	48 - 132	07/20/21 11:14	07/21/21 15:51	1

**Method: 6010C - Metals (ICP) - TCLP**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.0061	J	0.015	0.0056	mg/L		07/20/21 11:17	07/21/21 00:20	1
Barium	0.18	J ^6+	1.0	0.10	mg/L		07/20/21 11:17	07/21/21 00:20	1
Cadmium	ND		0.0020	0.00050	mg/L		07/20/21 11:17	07/21/21 00:20	1
Chromium	ND		0.020	0.010	mg/L		07/20/21 11:17	07/21/21 00:20	1
Lead	ND		0.020	0.0030	mg/L		07/20/21 11:17	07/21/21 00:20	1
Selenium	ND		0.025	0.0087	mg/L		07/20/21 11:17	07/21/21 00:20	1
Silver	ND		0.0060	0.0017	mg/L		07/20/21 11:17	07/21/21 00:20	1

**Method: 7470A - TCLP Mercury - TCLP**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.000043	mg/L		07/20/21 13:41	07/20/21 18:43	1

**General Chemistry**

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	83.2		0.1	0.1	%			07/15/21 19:01	1
Percent Solids	16.8		0.1	0.1	%			07/15/21 19:01	1

**Client Sample ID: TCLP0713**

**Lab Sample ID: 480-187221-1**

Date Collected: 07/13/21 07:50

Matrix: Solid

Date Received: 07/15/21 08:00

Percent Solids: 16.8

**Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		1.3	0.26	mg/Kg	✱	07/20/21 08:18	07/20/21 22:56	1
PCB-1221	ND		1.3	0.26	mg/Kg	✱	07/20/21 08:18	07/20/21 22:56	1
PCB-1232	ND		1.3	0.26	mg/Kg	✱	07/20/21 08:18	07/20/21 22:56	1
PCB-1242	ND		1.3	0.26	mg/Kg	✱	07/20/21 08:18	07/20/21 22:56	1
PCB-1248	ND		1.3	0.26	mg/Kg	✱	07/20/21 08:18	07/20/21 22:56	1
PCB-1254	ND		1.3	0.62	mg/Kg	✱	07/20/21 08:18	07/20/21 22:56	1
PCB-1260	ND		1.3	0.62	mg/Kg	✱	07/20/21 08:18	07/20/21 22:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	60	S1-	65 - 174	07/20/21 08:18	07/20/21 22:56	1
Tetrachloro-m-xylene	76		60 - 154	07/20/21 08:18	07/20/21 22:56	1

# Lab Chronicle

Client: Montague WPCF  
Project/Site: TCLP

Job ID: 480-187221-1

**Client Sample ID: TCLP0713**

**Lab Sample ID: 480-187221-1**

Date Collected: 07/13/21 07:50

Matrix: Solid

Date Received: 07/15/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
TCLP	Leach	1311			589535	07/19/21 10:01	LMS	TAL BUF
TCLP	Analysis	8260C		10	589668	07/20/21 17:50	WJD	TAL BUF
TCLP	Leach	1311			589534	07/19/21 10:00	LMS	TAL BUF
TCLP	Prep	3510C			589754	07/20/21 15:01	CMC	TAL BUF
TCLP	Analysis	8270D		5	589858	07/21/21 20:09	JMM	TAL BUF
TCLP	Leach	1311			589534	07/19/21 10:00	LMS	TAL BUF
TCLP	Prep	3510C			589708	07/20/21 11:06	JMP	TAL BUF
TCLP	Analysis	8081B		1	589833	07/21/21 11:28	JLS	TAL BUF
TCLP	Leach	1311			589534	07/19/21 10:00	LMS	TAL BUF
TCLP	Prep	8151A			589711	07/20/21 11:14	JMP	TAL BUF
TCLP	Analysis	8151		1	589894	07/21/21 15:51	JLS	TAL BUF
TCLP	Leach	1311			589534	07/19/21 10:00	LMS	TAL BUF
TCLP	Prep	3010A			589705	07/20/21 11:17	ADM	TAL BUF
TCLP	Analysis	6010C		1	589867	07/21/21 00:20	LMH	TAL BUF
TCLP	Leach	1311			589534	07/19/21 10:00	LMS	TAL BUF
TCLP	Prep	7470A			589729	07/20/21 13:41	BMB	TAL BUF
TCLP	Analysis	7470A		1	589801	07/20/21 18:43	BMB	TAL BUF
Total/NA	Analysis	Moisture		1	589276	07/15/21 19:01	DSC	TAL BUF

**Client Sample ID: TCLP0713**

**Lab Sample ID: 480-187221-1**

Date Collected: 07/13/21 07:50

Matrix: Solid

Date Received: 07/15/21 08:00

Percent Solids: 16.8

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3550C			589660	07/20/21 08:18	VXF	TAL BUF
Total/NA	Analysis	8082A		1	589760	07/20/21 22:56	NC	TAL BUF

**Laboratory References:**

TAL BUF = Eurofins TestAmerica, Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

# Accreditation/Certification Summary

Client: Montague WPCF  
Project/Site: TCLP

Job ID: 480-187221-1

## Laboratory: Eurofins TestAmerica, Buffalo

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Arkansas DEQ	State	88-0686	07-07-21 *
Connecticut	State	PH-0568	09-30-22
Florida	NELAP	E87672	06-30-22
Georgia	State	10026 (NY)	03-31-22
Georgia	State Program	N/A	03-31-09 *
Georgia (DW)	State	956	03-31-22
Illinois	NELAP	200003	10-01-21
Iowa	State	374	03-01-23
Iowa	State Program	374	03-01-09 *
Kansas	NELAP	E-10187	02-02-22
Kentucky (DW)	State	90029	12-31-21
Kentucky (UST)	State	30	04-01-22
Kentucky (WW)	State	KY90029	01-01-22
Louisiana	NELAP	02031	06-30-22
Maine	State	NY00044	12-05-22
Maryland	State	294	04-02-22
Massachusetts	State	M-NY044	06-30-22
Michigan	State	9937	04-01-22
Michigan	State Program	9937	04-01-09 *
Minnesota	NELAP	1524384	01-01-22
New Hampshire	NELAP	2973	09-11-19 *
New Hampshire	NELAP	2337	11-19-21
New Jersey	NELAP	NY455	06-30-22
New York	NELAP	10026	04-01-22
Oklahoma	State	9421	09-02-21
Oregon	NELAP	NY200003	06-12-22
Pennsylvania	NELAP	68-00281	07-31-21
Rhode Island	State	LAO00328	12-31-21
Tennessee	State	02970	03-31-22
Texas	NELAP	T104704412-18-10	07-31-21
USDA	US Federal Programs	P330-18-00039	02-06-21 *
Virginia	NELAP	460185	09-14-21
Washington	State	C784	02-10-22
Wisconsin	State	998310390	09-01-21

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.



# Method Summary

Client: Montague WPCF  
Project/Site: TCLP

Job ID: 480-187221-1

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	TAL BUF
8270D	Semivolatile Organic Compounds (GC/MS)	SW846	TAL BUF
8081B	Organochlorine Pesticides (GC)	SW846	TAL BUF
8082A	Polychlorinated Biphenyls (PCBs) by Gas Chromatography	SW846	TAL BUF
8151	TCLP Herbicides	SW846	TAL BUF
6010C	Metals (ICP)	SW846	TAL BUF
7470A	TCLP Mercury	SW846	TAL BUF
Moisture	Percent Moisture	EPA	TAL BUF
1311	TCLP Extraction	SW846	TAL BUF
3010A	Preparation, Total Metals	SW846	TAL BUF
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	TAL BUF
3550C	Ultrasonic Extraction	SW846	TAL BUF
5030C	Purge and Trap	SW846	TAL BUF
7470A	Preparation, Mercury	SW846	TAL BUF
8151A	Extraction (Herbicides)	SW846	TAL BUF

**Protocol References:**

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL BUF = Eurofins TestAmerica, Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

# Sample Summary

Client: Montague WPCF  
Project/Site: TCLP

Job ID: 480-187221-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-187221-1	TCLP0713	Solid	07/13/21 07:50	07/15/21 08:00

1

2

3

4

5

6

7

8

9

10

11

## Login Sample Receipt Checklist

Client: Montague WPCF

Job Number: 480-187221-1

**Login Number: 187221**

**List Number: 1**

**Creator: Stopa, Erik S**

**List Source: Eurofins TestAmerica, Buffalo**

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time (Excluding tests with immediate HTs)..	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	MONTAGUE WPCF
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	N/A	
Chlorine Residual checked.	N/A	

