

Montague Conservation Commission

One Avenue A, Turners Falls, MA 01376
(413) 863-3200 Ext. 207 Fax: (413) 863-3222 Email: planner@montague-ma.gov

AGENDA

Thursday, July 9, 2020, 6:30 PM

~Subject to change ~

Topics may start earlier than specified, unless there is a hearing scheduled
Meeting Being Recorded **Votes may be taken**

In accordance with the Governor's Order Suspending Certain Provisions of the Open Meeting Law, G. L. c. 30A, § 20, relating to the 2020 novel Coronavirus outbreak emergency, the July 9, 2020 public meeting of the Montague Conservation Commission shall be physically closed to the public to avoid group congregation. Alternative public access to this meeting shall be provided in the following manner:

Zoom Meeting

Join Zoom Meeting

<https://zoom.us/j/93318028842?pwd=UjVaT2tDbzkrR1pKQTBLTjRhQWpOUT09>

Meeting ID: 933 1802 8842

Password: 891058

Phone: 1 646 558 8656 US (New York)

Find your local number: <https://zoom.us/u/acL5FltdpV>

6:30pm: Approval of Meeting Minutes of June 11, 2020

6:31pm- CONTINUATION OF PUBLIC HEARING: Notice of Intent #2020-01 filed by Town of Montague for the replacement of the bridge on Chestnut Hill Loop Road, affecting a perennial stream and associated resource areas. The work will occur in the municipal right-of way associated with the roadway. Hearing opened 6/11/2020.

6:45pm- PUBLIC MEETING: Request for Determination of Applicability #2020-03 by the Mass. Environmental Police to repair, replace, or abandon a collapsed concrete tank at the rear of the field headquarters building at 316 Turners Falls Road. The work is proposed with the 100' Buffer Zone to a jurisdictional resource area and within the 100' riverfront area.

7:00pm- Conservation Agent Updates

- NOI 2018-05/ DEP File# 229-252- Sandy Lane Solar II- Updates and compliance with conditions
- Follow-up meeting with Ken Morin, Thomas Memorial Golf Course drainage
- Topics not received in the last 48 Hours.

Applications and plans may be examined by contacting the Planning and Conservation office at the contact information posted above.