Summary of FY22 STM - FY23 ATM Capital and Financial Article Requests

Expected Financial Article Requests

As of February 3, 2022

| | | STM Votes | | | | | | |
|---------------------------------------|------------------------------------------------------|--------------------|------|----|---------|----|-----------|------------------------------------------------------------------|
| | | FinCom | CIC | , | Winter | | Annual* | |
| Submitted by | Project Decription | Vote | Vote | | STM | | ATM | Comments |
| Capital | | | | | | | | |
| WPCF | WPCF Facility Screw Pumps | | | | | \$ | 730,000 | Screw pumps and electrical/controls. Steel prices rising sharply |
| WPCF | WPCF Back-Up Generator (450kW) | | | | | \$ | 130,000 | Exploring MVP Grant Opportunity. Current unit not viable |
| WPCF | RTV with plow and salt spreader | | | | 0 | | | Decision to re-prioritize as other demands emerged |
| DPW/WPCF | Wastewater Collection System Engineering Studies | | 5-0 | \$ | 202,000 | | | Full value of engineer contract, offset by \$150,000 DEP Grant |
| Selectboard | Town Hall Main Roof Replacement | | | | | \$ | 125,000 | Based on revised cost assessment by roof consultant |
| Selectboard | Shea Theater Front (Lower) Roof Replacement | | | | | \$ | 60,000 | Quote for Roof component = 35k; HVAC Estimate Pending |
| Library | Carnegie Library Basement Renovation | | | | | \$ | 99,246 | Received revised scope. Re-establish viable office space |
| Library | Montague Center Library Masonry Repair | | | | | \$ | 100,000 | Quote in hand, project on advice of structural engineer |
| DPW | Replacement of Sewer/Storm Drain Vactor Truck | | | | | \$ | 495,000 | Lease option at \$108k/ 5 years. Seeking revised quotes A |
| DPW | DPW Discretionary | | | | | \$ | 100,000 | Discretionary funds for vehicle and equipment expenses |
| Board of Assessors | Upgrade Assessing Software and Servers | | 5-0 | \$ | 25,100 | | | \$20,350 is total cost, previous article will cover remainder. |
| Health Department | Vehicle for Inspections | | | | | \$ | 30,000 | Selectboard wishes to discuss before this moves forward B |
| GMRSD | Hillcrest Floor Covering Repair/Replacement | | 5-0 | \$ | 315,000 | | | Summer 2022 project. Cost increased allows subfloor abatement |
| In the event of possible bid over-run | | | | | | | | |
| Selectboard | Montague City Road Flooding Relief Project | | 5-0 | \$ | 66,481 | | | To create 20% Bid contingency. Bid results expected early March |
| Non-Capital Requests | | | | | | | | |
| Parks and Recreation | Unity Park Security Camera System | C ₃₋₂₋₂ | | \$ | 4,500 | | | Replace and expand existing system for better coverage |
| Parks and Recreation | Riding Lawn Mower | 7-0 | | \$ | 2,500 | | | Replaces old, failed unit |
| Town Accountant | Smith Vocational School Student Tuition and Related | 7-0 | | \$ | 15,463 | \$ | 20,000 | Student attending Smith Vocational School - unique program |
| Airport | Increase operating budget for unanticipated expenses | 7-0 | | \$ | 20,377 | | | Transfer available funds - Rental property repair |
| Library | Engineering for Carnegie Parking Lot/Drainage | 7-0 | | \$ | 5,270 | | | Parking lot to be rebuilt by DPW |
| Library | Costs of unexpected employee retirement | 7-0 | | \$ | 10,616 | | | Linda Hickman Retirement |
| Cemetery Commission/DPW | Repair of Burnham St. Cemetery Retaining Wall | 7-0 | | \$ | 10,000 | | | DPW material budget to perform work at request of Cem Comm |
| Cemetery Commission | Emergency Repairs Fund | 7-0 | | \$ | 10,000 | | | Appropriated from sale of cemetery plots |
| Police | Police Discretionary Account | | | | | \$ | 10,000 | |
| Conservation Commission | Supplement to Waidlich Conservation Fund | | | | | \$ | 10,000 | |
| Total | | | | \$ | 687,307 | \$ | 1,909,246 | |

* Annual Town Meeting column include financial articles with the exception of annual appropriations to reserves.

These articles are now planned for ATM. They would rescind previously established bonding authority:

ARTICLE: To see if the Town will vote to rescind the unused \$286,809.92 borrowing authority as voted pursuant to Article #8 of the February 25, 2021 Special Town Meeting, which appropriated \$1,450,000 for the purpose of acquiring three properties for airport and aviation purposes, or to pass any vote or votes in relation thereto.

ARTICLE: To see if the Town will vote to rescind the unused \$1,305,011.05 borrowing authority as voted pursuant to Article #1 of the March 29, 2018 Special Town Meeting, which appropriated \$11,146,762 for the purpose of building and equipping a new DPW Facility, or to pass any vote or votes in relation thereto.

A On the list for Selectboard discussion of uses of ARPA funds 2/7 / Hanold has asked about moving to STM

B Audley will ask Selectboard to clarify prior to Fin Com's scheduled discussion of BoH requests on 2/9

C Vote taken on 2/2/22 was 3 (y) 1 (n) 3 (a).